

Guide Content
Search Results

Company Search Results for: BRISTOLITE returned 6 results.

 **Building Materials** (6 Results found)

No results found under **Roofing Products and Assemblies (FM Approval Class Numbers 4435, 4450, 4451, 4454, 4470, 4471)**

6 Results found outside of **Roofing Products and Assemblies (FM Approval Class Numbers 4435, 4450, 4451, 4454, 4470, 4471)**

Bristolite Skylights

401 E Goetz Ave, Santa Ana, California 92707, USA

[Heat and Smoke Vents for Roofs \(FM Approval Class Number 4430\)](#) [Automatic Vents \(Class Number 4430\)](#) [Fusible Link Type \(Class Number 4430\)](#)

Product	Listing Country	Width (ft in)	Width (m)	Length (ft in)	Length (m)	Lid Type	Snow Load (lbs/ft2)	Snow Load (kgs/m2)	Wind Uplift (psf)	Wind Uplift (kPa)	Certification Type
Model SVAM	United States of America	4'0"-5'0"	1.2-1.5	4'0"-8'0"	1.2-2.4	Metal	10	49	150	7.0	FM Approved
Models SVAF, SVAF-DD	United States of America	4'0"-5'0"	1.2-1.5	4'0"-8'0"	1.2-2.4	Fiberglass	10	49	150	7.0	FM Approved
Model SVSM	United States of America	4'0"-5'0"	1.2-1.5	4'0"-8'0"	1.2-2.4	Metal	10	49	150	7.0	FM Approved
Models SVSF, SVSF-DD	United States of America	4'0"-5'0"	1.2-1.5	4'0"-8'0"	1.2-2.4	Fiberglass	10	49	150	7.0	FM Approved

Bristolite Skylights

401 E Goetz Ave, Santa Ana, California 92707, USA

[Skylights for Roofs \(FM Approval Class Number 4431\)](#)

Product	Listing Country	Width (ft in)	Width (m)	Length (ft in)	Length (m)	Lid Type	Wind Uplift (psf)	Wind Uplift (kPa)	Spread of Flame Rating	Hail Rating	Certification Type
Model ALT-CM-1-PC NEW	United States of America	4'0"-5'0"	1.2-1.5	6'0"-8'0"	1.8-2.4	Plastic, Polycarbonate	150	7.2	Class A at 1 in 12	Severe Hail with 2.0 in diameter ice balls	FM Approved
Model ALT-CM-2-CPC NEW	United States of America	4'0"-5'0"	1.2-1.5	6'0"-8'0"	1.8-2.4	Plastic, Polycarbonate, Acrylic	150	7.2	Class A at 1 in 12	Severe Hail with 2.0 in diameter ice balls	FM Approved